

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
	*Delete Heading: *Belfast Harbor						
4440	STEETS LEDGE MONUMENT LIGHT 4						Remove from list.
							* 17/01
	*Add Heading: *Belfast Harbor						
4445	Steels Ledge Lighted Bell Buoy 2		FI R 4s		4	Red.	Replaced by nun when endangered by ice.
	*		*		*		17/01
*21314	Suffolk County Monitoring Lighted Buoy		FI Y 4s			Yellow.	Maintained from Apr.1 to Oct. 31. Private aid.
							17/01
CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2880	- FRONT LIGHT	39 39 18 N 75 34 24 W	Iso R 2s	42		On black skeleton tower on small white house.	Visible on range line only. Lighted throughout 24 hours.
			*				17/01
2975	- FRONT LIGHT	39 45 00 N 75 29 42 W	Iso R 2s	38		On skeleton tower.	Visible on range line only. Lighted throughout 24 hours.
			*				17/01
3250	CHESTER INTAKE LIGHT Marks water intake.	39 50 30 N 75 21 24 W	Oc Y 1.5s	16		On pile.	Private aid.
						*	17/01
3285	TINICUM RANGE FRONT LIGHT	39 50 54 N 75 15 12 W	Iso R 2s	38		White square framework tower, concrete base.	Visible on range line only. Lighted throughout 24 hours.
			*				17/01
	Mifflin Range						
3370	- FRONT LIGHT	39 50 54 N 75 15 12 W	Iso G 2s	48		On same structure as Tinicum Range Front Light.	Visible on range line only. Lighted throughout 24 hours.
			*				17/01
7670	Chesapeake Bay Buoy 77A	38 28 34 N 76 27 17 W				Green can.	
		*					17/01
19635	- LIGHT 12		FI R 4s	15	3	TR on pile.	
	*		*	*	*		17/01
19650	- LIGHT 16		FI R 2.5s	15	3	TR on pile.	
	*		*	*	*		17/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
19660	- LIGHT 18		FI R 4s	15	3	TR on pile.	
	*		*	*	*		17/01
29060	- LIGHT 10	35 08 35 N 76 00 20 W	FI R 4s	15	4	TR on pile.	Ra ref.
		*					17/01
OCRACOCK INLET AND NORTHERN CORE SOUND (Chart 11550)							
Core Sound							
34320	Harbor Island Warning Daybeacon	35 00 30 N 76 13 18 W				NW on multiple pile structure.	
	*		*	*	*	*	17/01
CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10730	- Daybeacon C						<i>Remove from list.</i>
							* 17/01
*Add Heading: *Hall Bay Channel							
*17235.01	- Daybeacon 1	26 01 15 N 81 44 23 W				SG on pile.	Private aid.
							17/01
*17235.02	- Daybeacon 2					TR on pile.	Private aid.
							17/01
*17235.03	- Daybeacon 3					SG on pile.	Private aid.
							17/01
*17235.04	- Daybeacon 4					TR on pile.	Private aid.
							17/01
*17235.05	- Daybeacon 5					SG on pile.	Private aid.
							17/01
*17235.06	- Daybeacon 6					TR on pile.	Private aid.
							17/01
*17235.07	- Daybeacon 7					SG on pile.	Private aid.
							17/01
*17235.08	- Daybeacon 8					TR on pile.	Private aid.
							17/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*Add Heading: *Big Marco Pass - Gordon Pass							
*17235.5	- Daybeacon 22				TR on pile.		17/01
17850	- Daybeacon 7						<i>Remove from list.</i>
							* 17/01
Ormond Beach							
39910	- Daybeacon 2	29 17 10 N 81 03 11 W			TR on pile.		Private aid.
		*					17/01
Melbourne Channel							
43210	- Daybeacon 1	28 04 32 N 80 35 40 W			SG on pile.		
		*					17/01
43300	- Daybeacon 1	28 01 00 N 80 33 58 W			SG on pile.		Private aid.
		*					17/01
Coconut Point							
43575	- Daybeacon 1	27 50 53 N 80 27 24 W			SG on pile.		Private aid.
		*					17/01
Nettles Island Channel							
45425	- Daybeacon 1	27 16 56 N 80 14 01 W			SG on pile.		Private aid.
		*					17/01
Old Port Cove							
46440	- Daybeacon 1	26 49 36 N 80 03 12 W			SG on pile.		Private aid.
				*			17/01
46445	- Daybeacon 2				TR on pile.		Private aid.
				*			17/01
46450	- Daybeacon 3				SG on pile.		Private aid.
				*			17/01
46455	- Daybeacon 4				TR on pile.		Private aid.
				*			17/01
46460	- Daybeacon 5				SG on pile.		Private aid.
				*			17/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
46465	- Daybeacon 6					TR on pile.	Private aid.
				*			17/01
	West Palm Beach						
46855	- Daybeacon 1	26 42 36 N 80 02 30 W				SG on pile.	Private aid.
		*					17/01
	Williams Island						
47645	- Channel Daybeacon 1	25 56 59 N 80 07 41 W				SG on pile.	Private aid.
		*					17/01
47715	Williams Island South Channel Daybeacon 2	25 56 24 N 80 07 55 W				TR on pile.	Private aid.
		*					17/01
	Biscayne Bay						
47780	- Daybeacon 2	25 55 06 N 80 07 37 W				TR-TY on pile.	
		*					17/01
	Keystone Point Channel						
47850	- Daybeacon 4	25 53 39 N 80 08 28 W				TR on pile.	Private aid.
		*					17/01
47980	Biscayne Point North Shoal Daybeacon	25 51 53 N 80 08 58 W				NW on pile worded DANGER SHOAL.	Private aid.
		*					17/01
47985	Biscayne Point West Shoal Daybeacon	25 51 50 N 80 08 52 W				NW on pile worded DANGER SHOAL.	Private aid.
		*					17/01
	Palm Bay Club Channel						
48290	- Daybeacon 2	25 50 16 N 80 10 22 W				TR on pile.	Private aid.
		*					17/01
	Manatee Creek						
50245	- Approach Daybeacon 1	25 13 14 N 80 25 12 W				SG on dolphin.	Private aid.
		*					17/01
	Caloosa Yacht Club Channel						
53475	- Daybeacon 1	26 34 07 N 81 55 13 W				SG on pile.	Private aid.
		*					17/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*53490.01	- Daybeacon 5					SG on pile.	17/01
*53490.02	- Daybeacon 6					TR on pile	17/01
57845	- Daybeacon 3B						<i>Remove from list.</i> *
60275	- LIGHT 67	27 32 06 N 82 42 06 W	FI G 4s	16	4	SG-SY on pile.	17/01
		*		*			17/01
CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*1057	<i>Texas A&M Current Meter Lighted Buoy V</i>	27 53 45 N 93 36 45 W	FI Y 4s			Yellow.	Private aid. 17/01
18365	- Buoy 27	29 33 25 N 91 14 05 W				Green can.	17/01
		*					17/01
26405	- LIGHT 80		FI R 2.5s	17	3	TR on pile.	Ra ref. 17/01
						*	17/01
26530	- LIGHT 5 60 feet outside channel limit.		FI G 6s	17	4	SG on pile.	Ra ref. 17/01
						*	17/01
33637	Louisa Bridge Eastern Approach Checkpoint Daybeacon	29 46 03 N 91 46 32 W				SW on pile with orange border worded DRAWBRIDGE APPROACH HALF-MILE CHECKPOINT.	Radio checkpoint for State Route 319 (Louisa) swing span bridge. 17/01
		*					17/01
33647	Louisa Bridge Western Approach Checkpoint Daybeacon	29 46 32 N 91 47 35 W				SW on pile with orange border worded DRAWBRIDGE APPROACH HALF-MILE CHECKPOINT.	Radio checkpoint for State Route 319 (Louisa) swing span bridge. 17/01
		*					17/01
*36132	- Daybeacon 4A					TR-TY on pile.	Ra ref. 17/01
*36137	- Daybeacon 6A					TR-TY on pile.	Ra ref. 17/01
*36138	- Daybeacon 6B					TR-TY on pile.	Ra ref. 17/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*36147	- Daybeacon 10A				TR-TY on pile.		Ra ref.
							17/01
CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Government Island							
11405	- MIDDLE RANGE FRONT LIGHT	45 35 14 N 122 31 55 W	Q R	40		KRB on pile structure.	Visible all around; higher intensity on rangeline.
		*					17/01
VANCOUVER TO THE DALLES (Chart 18531)							
11430	FISHER QUARRY CHANNEL RANGE FRONT LIGHT	45 34 38 N 122 28 06 W	Q G	36		KRB on pile structure.	Visible all around; higher intensity on rangeline.
		*					17/01
11435	FISHER QUARRY CHANNEL RANGE REAR LIGHT 267 yards, 110.5° from front light.		Iso G 6s	50		KRB on skeleton tower.	Visible 4° each side of rangeline.
				*			17/01
11455	- RANGE FRONT LIGHT	45 34 27 N 122 26 10 W	Q R	35		KRB on dolphin.	Visible all around; higher intensity on rangeline.
		*		*			17/01
11460	- RANGE REAR LIGHT 115 yards, 113° from front light.		Iso R 6s	55		KRB on skeleton tower.	Visible 14° each side of rangeline.
				*			17/01
11586	Corbett Daybeacon 62	45 32 32 N 122 17 28 W		39		TR on dolphin.	
		*		*			17/01
11590	TUNNEL POINT LIGHT 64	45 32 34 N 122 16 32 W	FI R 2.5s	30	4	TR on skeleton tower.	Higher intensity beam up and down channel.
		*		*			17/01
11745	MOFFETTS CREEK LIGHT 92	45 37 19 N 121 59 03 W	FI R 4s	27	5	TR on tower.	
		*					17/01
11920	HOOD RIVER RANGE REAR LIGHT 280 yards, 092° from front light.		Iso W 6s	55		KRB on skeleton tower.	Visible 4° each side of rangeline.
	*			*			* 17/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
 Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
14900	POST OFFICE RANGE REAR LIGHT 235 yards, 347° from front light.		Iso W 6s	45		KRB on skeleton tower.	Visible 4° each side of rangeline.
				*			17/01
16470	Point Wilson Lighted Buoy 6	48 09 11 N 122 45 38 W	FI R 4s		4	Red.	
		*					17/01
19925	- Buoy 3	48 59 45 N 122 46 47 W				Green can.	
	*	*					17/01
CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Harbor Club North Entrance							
<i>Buoys maintained from Apr. 1 to Nov. 30.</i>							
8971	- Lighted Buoy 1	42 34 05 N 82 49 23 W	FI G 2s			Green.	Private aid.
	*	*	*			*	17/01
8971.5	- Lighted Buoy 2	42 34 05 N 82 49 20 W	FI R 2s			Red.	Private aid.
	*	*	*			*	17/01
PLATTE BAY TO LELAND (Chart 14912)							
18310	NOAA Lighted Weather Buoy 45002	45 19 42 N 86 25 03 W	FI (4) Y 20s 1s fl 1.5s ec. 1s fl 1.5s ec. 1s fl 1.5s ec. 1s fl 11.5s ec.			Yellow disc-shaped hull.	NOAA maintained from Apr. 1 to Nov. 1. Nun; winter marker.
		*					17/01
Grand River							
<i>Unlighted buoys maintained from April 1 to Nov. 1.</i>							
18995	- Lighted Buoy 3	43 03 45 N 86 14 17 W	FI G 2.5s		4	Green.	Replaced by can from Nov. 28 to April 1.
		*					17/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.